

	SCAQMD	CA Other (21 of 34 Remaining Districts)	OTC States OTC Model Rule (CT, DC, DE, MD, ME**, NH, NJ, NY, PA & No. + Fredericks, VA)	OTC States No State Rule (RI, VT)	LADCO States OTC Model Rule OH Effective 1/1/09 IL Effective 7/1/09	LADCO States No State Rule IN, MI, WI	Vancouver WA (Southern Clark County)	Phoenix AZ (Maricopa County)	National Rule
Varnish	275	350	350	National Limit	350	National Limit	450	350	450
Conversion Varnish	275	350	725 (except 350 DC)	National Limit	725	National Limit	450	350	725
Conjugated Oil Varnish	275	350	350	National Limit	OH 450 IL 350	National Limit	450	350	450
Shellac, Clear Not allowed for floors in SCAQMD effective 1/1/07	730	730	730	National Limit	730	National Limit	650	Exempt	730
Interior Stain	250	250 (350 El Dorado)	250	National Limit	250	National Limit	350 (O) 550 (S)	350	350 (O) 550 (S)
General Sealer	100	200 (350 El Dorado)	200	National Limit	200	National Limit	400	350	400
Quick Dry Sealer	100	200	200	National Limit	200	National Limit	450	Exempt	450
Sanding Sealer	275	350	350	National Limit	350	National Limit	550	350	550
Lacquer (including lacquer sanding sealer)	275	550 (680 El Dorado)	550	National Limit	550	National Limit	680	680*	680

	SCAQMD	CA Other (21 of 34 Remaining Districts)	OTC States OTC Model Rule (CT, DC, DE, MA, MD, ME**, NH, NJ, NY, PA & No. + Fredericks. VA)	OTC States No State Rule (RI, VT)	LADCO States OTC Model Rule OH Effective 1-1-09 IL Effective ?***	LADCO States No State Rule IN, MI, WI	Vancouver WA (Southern Clark County)	Phoenix AZ (Maricopa County)	National Rule
Stain Controller	N/A	N/A	N/A	National Limit	N/A	National Limit	N/A	N/A	720
Floor Coating	50	250	250	National Limit	250	National Limit	400	250	400

OTC states are CT, DE, DC, ME, MD, MA, NH, NJ, NY, PA, RI, VT & VA.
 CT, DC, DE, MA, MD, ME, PA, NH, NJ, NY & VA have implemented rules.

**Under ME law, limits will remain at the National Rule levels for varnishes (until 2011) and interior wiping stains (indefinitely). RI plans to propose an OTC-style rule with a 7/1/09 implementation date. VT currently has no plan to regulate AIM coatings.

LADCO states are OH, IL, IN, MI & WI

OH adopted an OTC-style rule effective 1/1/09. IN has proposed an OTC-style rule with a 1/1/10 implementation date. MI hasn't decided whether to develop a rule. WI will wait for EPA.

Small Container Exemption Notes:

1. Small container exemption eliminated for varnishes, sanding sealers and lacquers in SCAQMD.
2. Quarts and smaller (all categories) exempt in all other jurisdictions.

3/31/2009

VOC REGULATION OF ARCHITECTURAL COATINGS
in the
LADCO/MRPO* STATES

LADCO/MRPO STATE	CURRENT VOC RULE TYPE	FUTURE CONSIDERATIONS
Ohio	Based on OTC Model Rule**	
Illinois	National Rule**	Proposes to implement rule based on OTC Model Rule** on July 1, 2009
Indiana	National Rule**	Proposes to implement rule based on OTC Model Rule** on January 1, 2010
Michigan	National Rule**	Has not yet decided whether to develop a state rule.
Wisconsin	National Rule**	No present plan for a state rule.

*Lake Michigan Air Directors Consortium/Midwest Regional Planning Organization

**The National Rule and OTC Model Rule limit the volatile organic compound (VOC) content of architectural coatings, which are coatings applied to stationary structures and their appurtenances. They do not apply to aerosol coatings or coatings sold in containers with a capacity of 1 liter (1.057 quarts) or less.

	National Rule	OTC Model Rule
Varnishes	450 g/L	350 g/L
Conversion Varnishes	725 g/L	725 g/L
Conjugated Oil Varnishes	450 g/L	350 g/L (450 g/L OH, IN)
Semitransparent Stains	550 g/L	250 g/L
Clear Brushing Lacquers	680 g/L	680 g/L
Lacquers (including lacquer sanding sealers)	680 g/L	550 g/L
Sanding Sealers (other than lacquer sanding sealers)	550 g/L	350 g/L
Sealers	400 g/L	200 g/L
Quick-Dry Sealers	450 g/L	200 g/L
Clear Shellac	730 g/L	730 g/L
Stain Controller	720 g/L	200 g/L (Sealer)
Low-Solids Coatings	N/A	120 g/L***

*** Actual VOC content, including water & exempt compounds.

All other VOC limits are Regulatory VOC content, excluding water & exempt compounds.

Disclaimer: This document is solely intended to provide an overview of architectural coating VOC regulations in the LADCO/MRPO states. It is not intended to address all requirements of such regulations and is subject to change without notice. Consult your counsel or the responsible regulatory agency to determine your specific obligations under any of the applicable VOC regulations.

3/31/2009

VOC REGULATION OF ARCHITECTURAL COATINGS
in the
OZONE TRANSPORT COMMISSION (OTC) STATES

OTC STATE	CURRENT VOC RULE TYPE	FUTURE CONSIDERATIONS
Connecticut	Based on OTC Model Rule*	
Delaware	Based on OTC Model Rule*	
District of Columbia	Based on OTC Model Rule*	
Maryland	Based on OTC Model Rule*	
Massachusetts	Based on OTC Model Rule*	
New Hampshire	Based on OTC Model Rule*	
New Jersey	Based on OTC Model Rule*	
New York	Based on OTC Model Rule*	
Pennsylvania	Based on OTC Model Rule*	
Virginia***	Based on OTC Model Rule*	
Maine	Based on OTC Model Rule* Except Varnish 450 g/L and Interior Stain 550 g/L	
Rhode Island	National Rule*	Have proposed a rule based on OTC Model Rule* for implementation on July 1, 2009.
Vermont	National Rule*	No present plan for a state rule.

*The National Rule and OTC Model Rule limit the volatile organic compound (VOC) content of architectural coatings, which are coatings applied to stationary structures and their appurtenances. They do not apply to aerosol coatings or coatings sold in containers with a capacity of 1 liter (1.057 quarts) or less.

	National Rule	OTC Model Rule
Varnishes	450 g/L	350 g/L
Conversion Varnishes	725 g/L	725 g/L
Conjugated Oil Varnishes	450 g/L	350 g/L
Semitransparent Stains	550 g/L	250 g/L
Clear Brushing Lacquers	680 g/L	680 g/L
Lacquers (including lacquer sanding sealers)	680 g/L	550 g/L
Sanding Sealers (other than lacquer sanding sealers)	550 g/L	350 g/L
Sealers	400 g/L	200 g/L
Quick-Dry Sealers	450 g/L	200 g/L
Clear Shellac	730 g/L	730 g/L
Stain Controller	720 g/L	200 g/L (Sealer)

*** Only part of Virginia near Washington, DC is regulated under the Virginia state rule:

1. Northern Virginia Emissions Control Area, which includes the counties of Arlington, Fairfax, Loudoun, Prince William, and Stafford; and the cities of Alexandria, Fairfax, Falls Church, Manassas, and Manassas Park.
2. Fredericksburg Emissions Control Area, which includes Spotsylvania County and Fredericksburg City. The remainder of Virginia is regulated under the National Rule.

Disclaimer: This document is solely intended to provide an overview of architectural coating VOC regulations in the Northeast Ozone Transport Commission states. It is not intended to address all requirements of such regulations and is subject to change without notice. Consult your counsel or the responsible regulatory agency to determine your specific obligations under any of the applicable VOC regulations.

3/31/2009